

I claim:

1. A power washing apparatus comprising:
a power washer comprising a hollow conduit and a nozzle;
a spacer for use with said power washer comprising;
a spacer having a first end and a second end;
a rotatable support connected to said second end of said spacer rod;
a connector for connecting said spacer and said conduit, said connector comprising means for adjusting the relative positions of said nozzle and said rotatable support.
2. A power washer apparatus according to claim 1, wherein said connector is selectively movable along at least a portion of said spacer between said first and second end.
3. A power washer according to claim 2 wherein said connector comprises has a spring biased pin and said spacer comprises a plurality of detents or holes between said first and second end which are engageable by said spring biased pin.
4. A power washer according to claim 3, wherein said adjusting means comprises at least one c-clamp.
5. A power washer according to claim 3, wherein said releasable clamp includes two spaced apart c-clamps.

6. A power washer according to claim 1, wherein said adjusting means comprises at least one c-clamp.
7. A power washer according to claim 2 wherein said adjusting means comprises at least two spaced apart c-clamps.
8. A power washer and wand spacer combination, comprising:
 - a power washer comprising a wand, a nozzle and a pump coupled to said wand by a hose;
 - a spacer having a first end and a second end;
 - a rotatable support connected to said second end of said spacer;
 - a connector extending from said wand to said spacer; said connector comprising a releasable clamp adapted to releasably connect to said power washer wand.
9. A power washer apparatus according to claim 8, wherein said connector is selectively movable along at least a portion of said spacer between said first and second end.
10. A power washer according to claim 9 wherein said connector comprises has a spring biased pin and said spacer comprises a plurality of detents or holes between said first and second end which are engageable by said spring biased pin.

11. A power washer according to claim 8, wherein said adjusting means comprises at least one c-clamp.
12. A power washer according to claim 8, wherein said releasable clamp includes two spaced apart c-clamps.
13. A power washer according to claim 8, wherein said adjusting means comprises at least one c-clamp.
14. A power washer according to claim 8 wherein said adjusting means comprises at least two spaced apart c-clamps.